



LUBRICANTS AND MOTOR OIL

**YOUR TRUSTED PARTNER
IN THE LUBRICANT INDUSTRY**



Prinzol Lubricants
731 James St #225
Syracuse NY 13203
PH: 315-363-3898
Fax:315-363-3850
E-mail: info@prinzol.net
www.prinzol.com



LUBRICANTS AND MOTOR OIL



Motor Oils

Hydraulic Oils

Gear Oils


Transmission Fluids

Tractor Hydraulic Fluids

Compressor Oils

Bar and Chain Oils

Antifreeze/Coolant



LUBRICANTS AND MOTOR OIL

We value your Business

www.prinzol.com

info@prinzol.net

Product Summary Motor Oils –Light Duty



	Conventional Motor Oil	Description	Packaging
CM-100	Conventional 5W-20	Meets or exceeds API – SF-SJ (UL). Mileage – 3000 miles	5 Gal., 55 Gal.,IBC or Bulk
CM-150	Conventional 5W-30	Meets or exceeds API – SF-SJ (UL). Mileage – 3000 miles	5 Gal., 55 Gal.,IBC or Bulk
CM-175	Conventional 10W-30	Meets or exceeds API – SF-SJ (UL). Mileage – 3000 miles	5 Gal., 55 Gal.,IBC or Bulk
CM-180	Conventional 10W-40	Meets or exceeds API – SF-SJ (UL). Mileage – 3000 miles	5 Gal., 55 Gal.,IBC or Bulk
CM-185	Conventional 20W-50	Meets or exceeds API – SF-SJ (UL). Mileage – 3000 miles	5 Gal., 55 Gal.,IBC or Bulk
Non detergent motor oils.			
ND-10	Non Detergent 10W	Meets or exceeds API – SF-SJ (UL). 3000 miles	5 Gal., 55 Gal.,IBC or Bulk
ND-30	Non Detergent 30W	Meets or exceeds API – SF-SJ (UL). 3000 miles	5 Gal., 55 Gal.,IBC or Bulk
ND-40	Non Detergent 40W	Meets or exceeds API – SF-SJ (UL).3000 miles	5 Gal., 55 Gal.,IBC or Bulk
ND-20	Non Detergent 20W	Meets or exceeds API – SF-SJ (UL). 3000 miles	5 Gal., 55 Gal.,IBC or Bulk
ND-50	Non Detergent 50W	Meets or exceeds API – SF-SJ (UL). 3000 miles	5 Gal., 55 Gal.,IBC or Bulk
Synthetic Blend SN/GF-5 motor oils			
SB-200	Synthetic Blend 5W-20 SN/GF-5	Meets or exceeds API – SN(Resource Conserving) ILSAC GF-5, G4, GF3, GF-2 and GF-1. 5000 miles	1 Qt., 1Gal, 5 Gal., 55 Gal,IBC or Bulk
SB-225	Synthetic Blend 5W-30 SN/GF-5	Meets or exceeds API – SN(Resource Conserving) ILSAC GF-5, G4, GF3, GF-2 and GF-1. 5000 miles	1 Qt., 1Gal, 5 Gal., 55 Gal,IBC or Bulk
SB-250	Synthetic Blend 10W-30 SN/GF-5	Meets or exceeds API – SN(Resource Conserving) ILSAC GF-5, G4, GF3, GF-2 and GF-1. 5000 miles	1 Qt., 1Gal, 5 Gal., 55 Gal,IBC or Bulk
SB-275	Synthetic Blend 10W-40 SN	Meets or exceeds API – SN, ILSAC GF-5, G4, GF3, GF-2 and GF-1. 5000 miles	1 Qt., 1Gal, 5 Gal., 55 Gal,IBC or Bulk
SB-290	Synthetic Blend 20W-50 SN	Meets or exceeds API – SN, ILSAC GF-5, G4, GF3, GF-2 and GF-1. 5000 miles	1 Qt., 1Gal, 5 Gal., 55 Gal,IBC or Bulk
Synthetic Blend High Mileage			
SB-291	High Mileage Syn Blend 5W-20	For Engines over 75,000 mileage. Meets or exceeds API – SN ILSAC GF-5, G4, GF3, GF-2 and GF-1.	1 Qt., 1Gal, 5 Gal., 55 Gal.,IBC or Bulk
SB-292	High Mileage Syn Blend 5W-30	For Engines over 75,000 mileage. Meets or exceeds API – SN LSAC GF-5, G4, GF3, GF-2 and GF-1.	1 Qt., 1Gal, 5 Gal., 55 Gal.,IBC or Bulk
SB-293	High Mileage Syn Blend 10W-30	For Engines over 75,000 mileage. Meets or exceeds API – SN ILSAC GF-5, G4, GF3, GF-2 and GF-1.	1 Qt., 1Gal, 5 Gal., 55 Gal.,IBC or Bulk
SB-296	High Mileage Syn Blend 10W-40	For Engines over 75,000 mileage. Meets or exceeds API – SN ILSAC GF-5, G4, GF3, GF-2 and GF-1.	1 Qt., 1Gal, 5 Gal., 55 Gal.,IBC or Bulk
Full Syn. SN GF-5 API motor oils. Dexos equiv. motor oils.			
FS-320	Synthetic 0W-20 SN/ GF-5	Meets or exceeds API – SN, ILSAC GF-5, G4, GF3, GF-2 and GF-1.	1 Qt., 1Gal, 5 Gal., 55 Gal.,IBC or Bulk
FS-330	Synthetic 0W-30 SN/ GF-5	Meets or exceeds API – SN,ILSAC GF-5, G4, GF3, GF-2 and GF-1.	1 Qt., 1Gal, 5 Gal., 55 Gal.,IBC or Bulk
FS-370	Synthetic 5W-20 SN/ GF-5	Meets or exceeds API – SN(Resource Conserving) ILSAC GF-5, G4, GF3, GF-2 and GF-1.	1 Qt., 1Gal, 5 Gal., 55 Gal.,IBC or Bulk
FS-380	Synthetic 5W-30 SN/GF-5	Meets or exceeds API – SN(Resource Conserving) ILSAC GF-5, G4, GF3, GF-2 and GF-1.	1 Qt., 1Gal, 5 Gal., 55 Gal.,IBC or Bulk
FS-390	Synthetic 10W-30 SN/GF-5	Meets or exceeds API – SN(Resource Conserving) ILSAC GF-5, G4, GF3, GF-2 and GF-1.	1 Qt., 1Gal, 5 Gal., 55 Gal.,IBC or Bulk
FS-395	Synthetic 10W-40 SN	Meets or exceeds API – SN, ILSAC GF-5, G4, GF3, GF-2 and GF-1.	1 Qt., 1Gal, 5 Gal., 55 Gal.,IBC or Bulk
FS-400	Syn. Euro 0W-40	Meets or exceeds ACEA A3/B3, A3/B4, API -SN, SM, SLMB 229.3/229.5 VW 502.00/505.00 Porsche A40 BMW Long life Oil 01 C (Unlicensed)	1 Qt., 1Gal, 5 Gal., 55 Gal.,IBC or Bulk
320GM	GM Spec Full Synthetic 0W-20	Meets or exceeds API – SN, ILSAC GF-5 SAE 0W20 is GM dexos1(Unlicensed)	1 Qt., 1Gal, 5 Gal., 55 Gal.,IBC or Bulk
370GM	GM Spec Full Synthetic 5W-20	Meets or exceeds API – SN, ILSAC GF-5 SAE 0W20 is GM dexos1(Unlicensed)	1 Qt., 1Gal, 5 Gal., 55 Gal.,IBC or Bulk

Product Summary

Motor Oils –Heavy Duty Duty

	Premium HD diesel motor oils	Description	Packaging
HD-421	HD ISO 10W	Meets or exceeds API-CJ-4/CI-4 (UL)	5 Gal., 55 Gal.,IBC or Bulk
HD-422	HD ISO 20W	Meets or exceeds API-CJ-4/CI-4 (UL)	5 Gal., 55 Gal.,IBC or Bulk
HD-450	HD ISO 30W	Meets or exceeds API-CJ-4/CI-4 (UL)	5 Gal., 55 Gal.,IBC or Bulk
HD-460	HD ISO 40W	Meets or exceeds API-CJ-4/CI-4 (UL)	5 Gal., 55 Gal.,IBC or Bulk
HD-425	HD 10W-30	Meets or exceeds API-CJ-4/CI-4	5 Gal., 55 Gal.,IBC or Bulk
XHD-425	XHD 10W-30 CK-4	Meets or exceeds API-CK-4/SN	5 Gal., 55 Gal.,IBC or Bulk
HD-426	HD 10W-40	Meets or exceeds API-CJ-4/CI-4 (UL)	5 Gal., 55 Gal.,IBC or Bulk
HD-430	HDD 15W-40 CJ-4	Meets or exceeds API-CJ-4/CI-4	5 Gal., 55 Gal.,IBC or Bulk
XHD-430	XHD 15W-40 CK-4	Meets or exceeds API-CK-4/SN	5 Gal., 55 Gal.,IBC or Bulk
HD-400	HD 20W-50 CF	Meets or exceeds API-CJ-4/CI-4 (UL)	5 Gal., 55 Gal.,IBC or Bulk
HD-410	HD 15w-40 CF	Meets or exceeds API-CJ-4/CI-4 (UL)	5 Gal., 55 Gal.,IBC or Bulk
HD Semi Synthetic CJ-4 motor oils.			
HD-419	HD 10W-30 Synthetic Blend	Meets or exceeds API-CJ-4/CI-4 (UL)	5 Gal., 55 Gal.,IBC or Bulk
XHD-419	XHD 10W-30 Synthetic Blend	Meets or exceeds API-CJ-4/CI-4	5 Gal., 55 Gal.,IBC or Bulk
HD-420	HD 15W-40 Synthetic Blend	Meets or exceeds API-CJ-4/CI-4 (UL)	5 Gal., 55 Gal.,IBC or Bulk
XHD-420	XHD 15W-30 Synthetic Blend	Meets or exceeds API-CJ-4/CI-4	5 Gal., 55 Gal.,IBC or Bulk
HD-418	HD 20W-50 Synthetic Blend	Meets or exceeds API-CJ-4/CI-4 (UL)	5 Gal., 55 Gal.,IBC or Bulk
HD-417	HD 5W-30 Synthetic Blend	Meets or exceeds API-CJ-4/CI-4 (UL)	5 Gal., 55 Gal.,IBC or Bulk
HD-416	HD 10W-40 Synthetic Blend	Meets or exceeds API-CJ-4/CI-4 (UL)	5 Gal., 55 Gal.,IBC or Bulk
HD-415	HD ISO 30W Synthetic Blend	Meets or exceeds API-CJ-4/CI-4 (UL)	5 Gal., 55 Gal.,IBC or Bulk
HD-414	HD ISO 40W Synthetic Blend	Meets or exceeds API-CJ-4/CI-4 (UL)	5 Gal., 55 Gal.,IBC or Bulk
HD-413	HD ISO 50W Synthetic Blend	Meets or exceeds API-CJ-4/CI-4 (UL)	5 Gal., 55 Gal.,IBC or Bulk
HD-412	HD ISO 10W Synthetic Blend	Meets or exceeds API-CJ-4/CI-4 (UL)	5 Gal., 55 Gal.,IBC or Bulk
HD full synthetic SN CJ-4 motor oils.			
HD-403	HD SAE 30W Full Synthetic	Meets or exceeds API-CJ-4/CI-4 (UL)	5 Gal., 55 Gal.,IBC or Bulk
HD-404	HD SAE 40W Full Synthetic	Meets or exceeds API-CJ-4/CI-4 (UL)	5 Gal., 55 Gal.,IBC or Bulk
HD-401	HD SAE 10W Full Synthetic	Meets or exceeds API-CJ-4/CI-4 (UL)	5 Gal., 55 Gal.,IBC or Bulk
HD-402	HD SAE 20W Full Synthetic	Meets or exceeds API-CJ-4/CI-4 (UL)	5 Gal., 55 Gal.,IBC or Bulk
HD-405	HD SAE 50W Full Synthetic	Meets or exceeds API-CJ-4/CI-4 (UL)	5 Gal., 55 Gal.,IBC or Bulk
HD-406	HD 5W-20 Full Synthetic	Meets or exceeds API-CJ-4/CI-4 (UL)	5 Gal., 55 Gal.,IBC or Bulk
HD-407	HD 5W-30 Full Synthetic	Meets or exceeds API-CJ-4/CI-4 (UL)	5 Gal., 55 Gal.,IBC or Bulk
HD-408	HD 10W-50 Full Synthetic	Meets or exceeds API-CJ-4/CI-4 (UL)	5 Gal., 55 Gal.,IBC or Bulk
HD-410	HD 15W-40 Full Synthetic	Meets or exceeds API-CJ-4/CI-4 (UL)	5 Gal., 55 Gal.,IBC or Bulk
HD-510	HD 15W-50 Full Synthetic	Meets or exceeds API-CJ-4/CI-4 (UL)	5 Gal., 55 Gal.,IBC or Bulk
HD-511	HD 20W-40 Full Synthetic	Meets or exceeds API-CJ-4/CI-4 (UL)	5 Gal., 55 Gal.,IBC or Bulk
HD-512	HD 20W-50 Full Synthetic	Meets or exceeds API-CJ-4/CI-4 (UL)	5 Gal., 55 Gal.,IBC or Bulk
HD-513	HD 5W-40 Full Synthetic	Meets or exceeds API-CJ-4/CI-4 (UL)	5 Gal., 55 Gal.,IBC or Bulk
HD-514	HD 10W-30 Full Synthetic	Meets or exceeds API-CJ-4/CI-4 (UL)	5 Gal., 55 Gal.,IBC or Bulk
HD-515	HD 10W-40 Full Synthetic	Meets or exceeds API-CJ-4/CI-4 (UL)	5 Gal., 55 Gal.,IBC or Bulk

Product Summary

Hydraulic Oils

Product Name		Description	Packaging
Economy Hydraulic oil series			
HY-480	Hydraulic ISO 22	R&O Hydraulic Oil 3000Hrs	5 Gal., 55 Gal.,IBC or Bulk
HY-481	Hydraulic ISO 32	R&O Hydraulic Oil 3000Hrs	5 Gal., 55 Gal.,IBC or Bulk
HY-482	Hydraulic ISO 46, SAE 10W	R&O Hydraulic Oil 3000Hrs	5 Gal., 55 Gal.,IBC or Bulk
HY-483	Hydraulic ISO 68, SAE 20W	R&O Hydraulic Oil 3000Hrs	5 Gal., 55 Gal.,IBC or Bulk
HY-484	Hydraulic ISO 100, SAE 30W	R&O Hydraulic Oil 3000Hrs	5 Gal., 55 Gal.,IBC or Bulk
HY-485	Hydraulic ISO 150, SAE 40W	R&O Hydraulic Oil 3000Hrs	5 Gal., 55 Gal.,IBC or Bulk
HY-486	Hydraulic ISO 220, SAE 50W	R&O Hydraulic Oil 3000Hrs	5 Gal., 55 Gal.,IBC or Bulk
HY-487	Hydraulic ISO 320	R&O Hydraulic Oil 3000Hrs	5 Gal., 55 Gal.,IBC or Bulk
HY-488	Hydraulic ISO 460	R&O Hydraulic Oil 3000Hrs	5 Gal., 55 Gal.,IBC or Bulk
Premium AW hydraulic oil series			
HY-495	Hydraulic AW ISO 100, SAE 30W	Premium Hydraulic Antiwear 5000Hrs	5 Gal., 55 Gal.,IBC or Bulk
HY-496	Hydraulic AW ISO 150, SAE 40W	Premium Hydraulic Antiwear 5000Hrs	5 Gal., 55 Gal.,IBC or Bulk
HY-497	Hydraulic AW ISO 22, SAE 5W	Premium Hydraulic Antiwear 5000Hrs	5 Gal., 55 Gal.,IBC or Bulk
HY-500	Hydraulic AW ISO 32, SAE 10W	Premium Hydraulic Antiwear 5000Hrs	5 Gal., 55 Gal.,IBC or Bulk
HY-510	Hydraulic AW ISO 46, SAE 20W	Premium Hydraulic Antiwear 5000Hrs	5 Gal., 55 Gal.,IBC or Bulk
HY-520	Hydraulic AW ISO 68, SAE 30W	Premium Hydraulic Antiwear 5000Hrs	5 Gal., 55 Gal.,IBC or Bulk
Full synthetic AW hydraulic oil series.			
729	Synthetic Hydraulic AW 22	Synthetic Multi-Viscosity Hydraulic Oil 8000Hrs.	5 Gal., 55 Gal.,IBC or Bulk
730	Synthetic Hydraulic AW 32	Synthetic Multi-Viscosity Hydraulic Oil 8000Hrs.	5 Gal., 55 Gal.,IBC or Bulk
731	Synthetic Hydraulic AW 46	Synthetic Multi-Viscosity Hydraulic Oil 8000Hrs.	5 Gal., 55 Gal.,IBC or Bulk
732	Synthetic Hydraulic AW 68	Synthetic Multi-Viscosity Hydraulic Oil 8000Hrs.	5 Gal., 55 Gal.,IBC or Bulk
733	Synthetic Hydraulic AW 150	Synthetic Multi-Viscosity Hydraulic Oil 8000Hrs.	5 Gal., 55 Gal.,IBC or Bulk
734	Synthetic Hydraulic AW 100	Synthetic Multi-Viscosity Hydraulic Oil 8000Hrs.	5 Gal., 55 Gal.,IBC or Bulk

UTHF Tractor Hydraulic Fluids

780	UTHF	(JD-J20C)	5 Gal., 55 Gal.,IBC or Bulk
785	SAE 10 CAT TO-4	TO-4	5 Gal., 55 Gal.,IBC or Bulk
787	SAE 30 CAT TO-4	TO-4	5 Gal., 55 Gal.,IBC or Bulk
789	SAE 50 CAT TO-4	TO-4	5 Gal., 55 Gal.,IBC or Bulk
790	Full Synthetic SAE 10 CAT TO-4	TO-4	5 Gal., 55 Gal.,IBC or Bulk
792	Full Synthetic SAE 30 CAT TO-4	TO-4	5 Gal., 55 Gal.,IBC or Bulk
794	Full Synthetic SAE 50 CAT TO-4	TO-4	5 Gal., 55 Gal.,IBC or Bulk
799	UTHF (303)	UTHF (303)	5 Gal., 55 Gal.,IBC or Bulk

Product Summary



LUBRICANTS AND MOTOR OIL

Gear Oils

	Products	Description	Packaging
	Petroleum/synthetic GL-5 Gear oils.		
800	Gear Oil 75W-90	Meets or Exceeds API-GL-4/GL-5(UL)	5 Gal., 55 Gal.,IBC or Bulk
801	Gear Oil 80W-90	Meets or Exceeds API-GL-4/GL-5(UL)	5 Gal., 55 Gal.,IBC or Bulk
802	Gear Oil 75W-140	Meets or Exceeds API-GL-4/GL-5(UL)	5 Gal., 55 Gal.,IBC or Bulk
803	Gear Oil 80W-140	Meets or Exceeds API-GL-4/GL-5(UL)	5 Gal., 55 Gal.,IBC or Bulk
804	Gear Oil 85W-140	Meets or Exceeds API-GL-4/GL-5(UL)	5 Gal., 55 Gal.,IBC or Bulk
805	Full Synthetic Gear Oil 75W-90	Meets or Exceeds API-GL-4/GL-5(UL)	5 Gal., 55 Gal.,IBC or Bulk
806	Full Synthetic Gear Oil 80W-90	Meets or Exceeds API-GL-4/GL-5(UL)	5 Gal., 55 Gal.,IBC or Bulk
807	Full Synthetic Gear Oil 75W-140	Meets or Exceeds API-GL-4/GL-5(UL)	5 Gal., 55 Gal.,IBC or Bulk
808	Full Synthetic Gear Oil 80W-140	Meets or Exceeds API-GL-4/GL-5(UL)	5 Gal., 55 Gal.,IBC or Bulk
809	Full Synthetic Gear Oil 85W-140	Meets or Exceeds API-GL-4/GL-5(UL)	5 Gal., 55 Gal.,IBC or Bulk
G-710	Gear Oil 75W-90 LS	Meets or Exceeds API-GL-4/GL-5(UL)	5 Gal., 55 Gal.,IBC or Bulk
G-720	Gear Oil 80W-90 LS	Meets or Exceeds API-GL-4/GL-5(UL)	5 Gal., 55 Gal.,IBC or Bulk
G-730	Gear Oil 75W-140 LS	Meets or Exceeds API-GL-4/GL-5(UL)	5 Gal., 55 Gal.,IBC or Bulk
G-740	Gear Oil 80W-140 LS	Meets or Exceeds API-GL-4/GL-5(UL)	5 Gal., 55 Gal.,IBC or Bulk
G-750	Gear Oil 85W-140 LS	Meets or Exceeds API-GL-4/GL-5(UL)	5 Gal., 55 Gal.,IBC or Bulk
GS-810	Full Synthetic Gear Oil 75W-90 LS	Meets or Exceeds API-GL-5(Limited Slip (UL)	5 Gal., 55 Gal.,IBC or Bulk
GS-820	Full Synthetic Gear Oil 80W-90 LS	Meets or Exceeds API-GL-5(Limited Slip (UL)	5 Gal., 55 Gal.,IBC or Bulk
GS-830	Full Synthetic Gear Oil 75W-140 LS	Meets or Exceeds API-GL-5(Limited Slip (UL)	5 Gal., 55 Gal.,IBC or Bulk
GS-840	Full Synthetic Gear Oil 80W-140 LS	Meets or Exceeds API-GL-5(Limited Slip (UL)	5 Gal., 55 Gal.,IBC or Bulk
GS-850	Full Synthetic Gear Oil 85W-140 LS	Meets or Exceeds API-GL-5(Limited Slip (UL)	5 Gal., 55 Gal.,IBC or Bulk
821	Gear Oil 80W-90	Meets or Exceeds API-GL-1(UL)	5 Gal., 55 Gal.,IBC or Bulk
822	Gear Oil 85W-140	Meets or Exceeds API-GL-1(UL)	5 Gal., 55 Gal.,IBC or Bulk
823	90 Straight Mineral Oil	Meets or Exceeds API-GL-1(UL)	5 Gal., 55 Gal.,IBC or Bulk
	Full synthetic R&O oils.		
834	Synthetic R&O 68	Meets or Exceeds API-GL-1(UL)	5 Gal., 55 Gal.,IBC or Bulk
835	Synthetic R&O 100	Meets or Exceeds API-GL-1(UL)	5 Gal., 55 Gal.,IBC or Bulk
836	Synthetic R&O 150	Meets or Exceeds API-GL-1(UL)	5 Gal., 55 Gal.,IBC or Bulk
837	Synthetic R&O 220	Meets or Exceeds API-GL-1(UL)	5 Gal., 55 Gal.,IBC or Bulk
838	Synthetic R&O 320	Meets or Exceeds API-GL-1(UL)	5 Gal., 55 Gal.,IBC or Bulk
839	Synthetic R&O 460	Meets or Exceeds API-GL-1(UL)	5 Gal., 55 Gal.,IBC or Bulk
840	Synthetic R&O 680	Meets or Exceeds API-GL-1(UL)	5 Gal., 55 Gal.,IBC or Bulk
	Extreme pressure gear oils		
843	Industrial Gear Oil EP-68, SAE 80W, AGMA 2	Meets U.S. STEEL 224 Specs	5 Gal., 55 Gal.,IBC or Bulk
844	Industrial Gear Oil EP-100, SAE 85W, AGMA 3	Meets U.S. STEEL 224 Specs	5 Gal., 55 Gal.,IBC or Bulk
845	Industrial Gear Oil EP-150, SAE 90, AGMA 4	Meets U.S. STEEL 224 Specs	5 Gal., 55 Gal.,IBC or Bulk
846	Industrial Gear Oil EP-220, SAE 95, AGMA 5	Meets U.S. STEEL 224 Specs	5 Gal., 55 Gal.,IBC or Bulk
847	Industrial Gear Oil EP-320, AGMA 6	Meets U.S. STEEL 224 Specs	5 Gal., 55 Gal.,IBC or Bulk
848	Industrial Gear Oil EP- 460, SAE 140, AGMA 7	Meets U.S. STEEL 224 Specs	5 Gal., 55 Gal.,IBC or Bulk
849	Industrial Gear Oil EP-680, AGMA 8	Meets U.S. STEEL 224 Specs	5 Gal., 55 Gal.,IBC or Bulk

Product Summary

Transmission Fluids



LUBRICANTS AND MOTOR OIL

Products		Description	Packaging
Full synthetic manual power transmission fluids.			
875	Synthetic SAE 50W Transmission Fluid	Meets or Exceeds API-GL-1(UL)	5 Gal., 55 Gal.,IBC or Bulk
876	Synthetic SAE 50W Transmission Fluid	Meets or Exceeds API-GL-1(UL) 500,000 Miles	5 Gal., 55 Gal.,IBC or Bulk
880	Full Syn. Gear Oil EP-68, SAE 80W, AGMA 2	Meets U.S. STEEL 224 Specs	5 Gal., 55 Gal.,IBC or Bulk
881	Full Syn. Gear Oil EP-100, SAE 85W, AGMA 3	Meets U.S. STEEL 224 Specs	5 Gal., 55 Gal.,IBC or Bulk
882	Full Syn. Gear Oil EP-150, SAE 90, AGMA 4	Meets U.S. STEEL 224 Specs	5 Gal., 55 Gal.,IBC or Bulk
883	Full Syn. Gear Oil EP-220, SAE 95, AGMA 5	Meets U.S. STEEL 224 Specs	5 Gal., 55 Gal.,IBC or Bulk
884	Full Syn. Gear Oil EP-320, AGMA 6	Meets U.S. STEEL 224 Specs	5 Gal., 55 Gal.,IBC or Bulk
885	Full Syn. Gear Oil EP- 460, SAE 140, AGMA 7	Meets U.S. STEEL 224 Specs	5 Gal., 55 Gal.,IBC or Bulk
886	Full Syn. Gear Oil EP-680, AGMA 8	Meets U.S. STEEL 224 Specs	5 Gal., 55 Gal.,IBC or Bulk
Worm gear oils /stream cylinder oils.			
893	Worm Gear Oil 680		5 Gal., 55 Gal.,IBC or Bulk
897	Mine Gear Oil 460 T		5 Gal., 55 Gal.,IBC or Bulk
898	600 Cylinder oil		5 Gal., 55 Gal.,IBC or Bulk
ATF fluids/ Full synthetic ATF.			
T-610	Full Synthetic Multi-Vehicle Low Viscosity ATF	Meets or Exceeds Dex 6 /Mer LV	5 Gal., 55 Gal.,IBC or Bulk
T-630	D/M ATF	Meets or Exceeds Dex 3/Mer	5 Gal., 55 Gal.,IBC or Bulk
T-620	Universal ATF		5 Gal., 55 Gal.,IBC or Bulk
904	Multi-Vehicle Syn Blend ATF	Meets or Exceeds Mer -V	5 Gal., 55 Gal.,IBC or Bulk
T-640	Full Synthetic Multi-Vehicle High Viscosity ATF	Mer-V, Ford Mer(obsolete), General Motors Dex-IIIH (obsolete), and Allison C-4 type fluids.	5 Gal., 55 Gal.,IBC or Bulk
925	Continuously Variable Transmission Fluid- Synthetic	Audi and VW (TL 52180; G 052 180), Ford (CVT30/Mer C), Subaru (Lineartronic CVTF), Honda (HMMF), Nissan (NS-2), Mitsubishi (CVTF-J1/SP-III), BMW Mini Cooper EZL 799), Hyundai and Kia (SP-III), Suzuki (TC/NS-2/CVT Green1), Dodge, Jeep (NS-2/CVTF+4), GM Saturn (DEX-CVT), Ford (CVT23), Mercedes Benz (236.20).	5 Gal., 55 Gal.,IBC or Bulk
T-650	Power Steering Fluid	GM, Ford and Chrysler vehicles as well as most foreign cars and light trucks	5 Gal., 55 Gal.,IBC or Bulk

Bar & Chain Oils

Products		Description	Packaging
Bar & chain oils.			
770	Bar & Chain Oil 32	ISO 32	5 Gal., 55 Gal.,IBC or Bulk
771	Bar & Chain Oil ISO 46/ 220, 20W	ISO 46/ 220, 20W	5 Gal., 55 Gal.,IBC or Bulk
772	Bar & Chain Oil ISO 68/ 320, 30W	ISO 68/ 320, 30W	5 Gal., 55 Gal.,IBC or Bulk

Product Summary

Compressor Oils

LUBRICANTS AND MOTOR OIL

Products		Description	Packaging
Compressor oil series			
760	ISO 46, 10 W Compressor Oil	ISO 46, 10 W 3000 Hrs.	5 Gal., 55 Gal.,IBC or Bulk
761	ISO 68, 20 W Compressor Oil	ISO 68, 20 W 3000 Hrs.	5 Gal., 55 Gal.,IBC or Bulk
762	ISO 100, 30 W Compressor Oil	ISO 100, 30 W 3000 Hrs.	5 Gal., 55 Gal.,IBC or Bulk
763	ISO 150, 40 W Compressor Oil	ISO 150, 40 W 3000 Hrs.	5 Gal., 55 Gal.,IBC or Bulk
764	ISO 32 Compressor Oil	ISO 32 3000 Hrs.	5 Gal., 55 Gal.,IBC or Bulk
Synthetic blend compressor oils			
765	Synthetic Blend ISO 46, 10 W Compressor Oil	ISO 46, 10 W 6,000 hrs.	5 Gal., 55 Gal.,IBC or Bulk
766	Synthetic Blend ISO 68, 20 W Compressor Oil	ISO 68, 20 W 6,000 hrs.	5 Gal., 55 Gal.,IBC or Bulk
767	Synthetic Blend ISO 100, 30 W Compressor Oil	ISO 100, 30 W 6,000 hrs.	5 Gal., 55 Gal.,IBC or Bulk
768	Synthetic Blend ISO 150, 40 W Compressor Oil	ISO 150, 40 W 6,000 hrs.	5 Gal., 55 Gal.,IBC or Bulk
769	Synthetic Blend ISO 32 Compressor Oil	ISO 32 6,000 hrs.	5 Gal., 55 Gal.,IBC or Bulk
Full synthetic compressor oils series			
775	Synthetic ISO 32 Compressor Oil	ISO 32 10,000 hrs.	5 Gal., 55 Gal.,IBC or Bulk
776	Synthetic ISO 46, 10 W Compressor Oil	ISO 46, 10 W 10,000 hrs.	5 Gal., 55 Gal.,IBC or Bulk
777	Synthetic ISO 68, 20 W Compressor Oil	ISO 68, 20 W 10,000 hrs.	5 Gal., 55 Gal.,IBC or Bulk
778	Synthetic ISO 100, 30 W Compressor Oil	ISO 100, 30 W 10,000 hrs.	5 Gal., 55 Gal.,IBC or Bulk
779	Synthetic ISO 150, 40 W Compressor Oil	ISO 150, 40 W 10,000 hrs.	5 Gal., 55 Gal.,IBC or Bulk

Antifreeze/Coolant

Products		Description	Packaging
Antifreeze/Coolant			
	PRINZOL® PLUS – GREEN	Concentrate and Premix 50/50	1 Gal,5 Gal., 55 Gal.,IBC or Bulk
	PRINZOL® ORG EX-Life – ORANGE	Concentrate and Premix 50/50	1 Gal,5 Gal., 55 Gal.,IBC or Bulk
	PRINZOL® RED EX-LIFE – RED	Concentrate and Premix 50/50	1 Gal,5 Gal., 55 Gal.,IBC or Bulk
	PRINZOL® GOLD EX-LIFE – YELLOW	Concentrate and Premix 50/50	1 Gal,5 Gal., 55 Gal.,IBC or Bulk

PRINZOL Antifreeze/Coolants are Ethylene Glycol Based and are available in:

• Conventional Formulation • OAT Formulation • HOAT Formulation

Available in all colors : Green Red Orange Yellow Blue and Purple 1Gal, 5Gal, 55Gal, IBC and Bulk

For all Light, Medium and Heavy Duty applications.